

Nutrien Ag Solutions, Inc.
WATSONVILLE CA (646)
5 LAKEVIEW RD.
WATSONVILLE, CA 95076
831-763-4533



11/2/2019 10:33 AM

Order No: 15658801
Customer PO#:
Permit ID: 27-18-2700300
(1/31/2020)

Shipping Paper

**IN CASE OF EMERGENCY, SPILL, LEAK, OR FIRE AT ANY HOUR, CALL SHIPPER OR CHEMTREC (TOLL FREE) AT 1-800-424-9300.
ISOLATE ANY SPILL, THE CARGO, AND THE VEHICLE INVOLVED UNTIL DIRECTIONS ARE RECEIVED.**

Send Freight Bill

Ship To: LAZZERINI FARMS(1070074)
PO BOX 588
MOSS LANDING, CA 95039
000/000-0000

Ship From: Nutrien Ag Solutions, Inc.
5 LAKEVIEW RD.
WATSONVILLE, CA 95076

Ship Via: Company Vehicle

Carrier (circle one): Nutrien Customer Other: _____ **COD** _____ **Prepaid** _____ **Collect** _____

No. & Pkg Type	Weight (lb)	Haz Mat	Product ID / Description	Qty
234.00 CA	2,480.40	X	UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM N-METHYL DITHIO CARBAMATE), 8, III ERG GUIDE 154 COMPOUND, TREE OR WEED KILLING, NOI (NMFC 50320,SUB 2: CLASS: 60)	234.00 GA

Placards Applied / Offered (circle one): Yes No

Items Checked & Counted : _____ **Total** _____

Gross Weight (lb): _____ - **Tare Weight (lb):** _____ **Total Net Weight (lb):** 2,480.40

Total Hazardous Weight (lb): 2,480.40

This is to certify that the above named materials are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

Shipper _____
NUTRIEN AG SOLUTIONS

Received By: _____
Carrier / Customer _____ **Date** _____

Product Use Recommendation

47497 - 5624407 (Rec No. 5624407)

 <p>Nutrien Ag Solutions™ Nutrien Watsonville 5 Lakeview Rd. Watsonville, CA 95076 Phone: 831-763-4533</p>		Proposed Date / Timing 2019-11-06	Expire Date 2019-11-30	PCA & License Drew Butler 72975				
		Applicator NUTRIEN AG 37396 5 LAKEVIEW RD WATSONVILLE, CA 95076 Phone: 831-763-4533		Grower & Permit Number Lazzerini, Ken 2700300 P.o. Box 588 Moss Landing, CA 95039 Phone: 831-722-5643 Fax: 831-722-5643				
PO Number:								
County Monterey	Site Commodity BRUSSEL SPROUT	Organic	Method Ground	Proposed 11.7 Acres	Treated 11.7 Acres	Tank Volume	No. Tanks	Spray Volume 0 Ga
Site ID / STR	Location		Permitted Area	Proposed Area	Treated Area	Row	Band	
09 22,13S,02E M	CONDOR RANCH		232 ACRES	11.7 ACRES	11.7 ACRES			
Block ID	Block Name	Planted	N: Brussel Sprout		E: SPROUTS			
090005	CONDOR 5E	11.7 Acres	S: Brussel Sprout		W: open			

***** ALWAYS READ AND FOLLOW LABEL DIRECTIONS *****

**** In addition, adhere to all State and local regulations governing the use of these products ****

I certify that alternative and mitigation measures that would substantially lessen any significant adverse impact on the environment have been considered and, if feasible, adopted.

S	WH	Product Name	Signal Word	Labeled Commodity	Pest	Rate	Per Full Tank	Mat. Req.
	0646	NOI Amvac K-Pam HL (5481-483) (54.00% - Potassium N-Methyldithiocarbamate)	Danger Poison	Brussels Sprout	Symphylan	20 Ga / A		234 Ga

Pre-Harvest Interval : 0 Days

Re-Entry Interval : 120 Hours

Restrictions: Avoid Drift – Certified Applicator Required – Closed Mixing System Required – Do Not Feed/Graze Treated Area -- Notice of Intent Required – Oral Notification Required -- Posting Required – Toxic To Birds – Toxic To Fish -- California Code of Regulations 6690-6692 go into effect starting January 2018. In summary these codes state pesticide use within a quarter mile of a school site or day care facility is prohibited between the hours of 6 AM to 6 PM on days when school is in session. For details or exceptions to this general summary please reference the code or speak to your County Ag Commissioner for clarification.

Species Toxic To: Mammals; Fish; Birds; Aquatic Invertebrates

Criteria Used For Determining Recommendation: Pest is Present

Advisor Comments: NON-TARPED. THERE ARE NO OCCUPIED STRUCTURES OR POTABLE WELLS WITHIN 100FT OF APPLICATION. MAP ATTACHED.
JOSE PAREDES QC90370 EXP 12/19 831-594-6076 M.OLMEDA

THE MATERIAL AND CONTENT CONTAINED IN THE AGRIAN DATABASE AND ON THIS DOCUMENT ARE FOR INFORMATION ONLY AND NOT INTENDED TO BE A SUBSTITUTE FOR THE ACTUAL EPA AND/OR STATE APPROVED PRODUCT LABEL. USERS OF THIS DATABASE MUST READ AND FOLLOW THE APPROVED PRODUCT LABEL AFFIXED TO THE PRODUCT CONTAINER AND/OR APPLICABLE SUPPLEMENTAL LABELING BEFORE USE OF THE PRODUCT. RECIPIENT OF THIS DOCUMENT MUST HAVE THE PROPER KNOWLEDGE AND/OR LICENSING TO USE THIS DOCUMENT. USE SHALL BE DEEMED ACCEPTANCE OF, AND USE IS ONLY AUTHORIZED BY AGRIAN TO USERS WHO AGREE TO BE BOUND BY, THE TERMS OF USE PUBLISHED AT AGRIAN.COM.

I certify that the product recommendations in this document are consistent with my review of the product notices beginning on the following page and the product(s) label.

Signature : _____

Date : 2019-11-02

Drew Butler PCA Lic. #72975

Rec No. 5624407

© Copyright 2019, Agrian Inc. All Rights Reserved.

This document has warning(s) and/or manufacturer approved label notice(s) that were not printed. Notices and Warnings are available upon request.

Additional Notices

Rec No. 5624407

- Dry disconnect couplings (closed transfer system) must be installed on all tanks and transfer hoses.

Conditions

Rec No. 5624407

K-Pam HL:

- Un-tarped applications or if tarps are not perforated and removed within 14 days after application

