

Product Use Recommendation

72716 - 6664501 (Rec No. 6664501)

 <p>Nutrien Ag Solutions™</p> <p>Nutrien 900 Leilani St Hilo, GA 96720 Phone: 229-776-3355</p>		Proposed Date / Timing 2021-05-29 8AM	Expire Date 2021-06-12	PCA & License Drew Butler 72975				
		Applicator NUTRIEN APPLIED 37366 5 LAKEVIEW RD WATSONVILLE, CA 95076 Phone: 831-763-4533		Grower & Permit Number Lazzerini, Farm (Monterey) 2700300 P.o. Box 588 Moss Landing, CA 95039 Phone: 831-722-5643 Fax: 831-722-5643				
PO Number:								
County Monterey	Site Commodity BRUSSEL SPROUT	Organic	Method Ground	Proposed 29 Acres	Treated 29 Acres	Tank Volume	No. Tanks	Spray Volume 0 Ga
Site ID / STR 09 22,13S,02E M	Location CONDOR RANCH 1-		Permitted Area 164.4 Acres	Proposed Area 29 Acres	Treated Area 29 Acres	Row	Band	
Block ID 090003	Block Name CONDOR 3	Planted 29 Acres	N: SPROUTS/YARD S: ROAD/SCHOOL		E: SPROUTS W: SPROUTS			

***** ALWAYS READ AND FOLLOW LABEL DIRECTIONS *****

**** In addition, adhere to all State and local regulations governing the use of these products ****

I certify that alternative and mitigation measures that would substantially lessen any significant adverse impact on the environment have been considered and, if feasible, adopted.

S	WH	Product Name	Signal Word	Labeled Commodity	Pest	Rate	Per Full Tank	Mat. Req.
	646	NOI Salt Lake Holding LLC Telone II (95290-1) (97.50% - 1,3-Dichloropropane)	Warning	Brussels Sprout	Nematode	9 Ga / A		261 Ga

Pre-Harvest Interval : 0 Days

Re-Entry Interval : 168 Hours

1,3-D Application Information			
Method (Code) :	Nontarpaulin/Deep/Broadcast or Bed (1206)	Total Applied :	261.00 Gallons
Tarp Information :	Not Specified / Not Applicable	1,3-D per Gallon :	9.85 Pounds (0.975)
Available 1,3-D Amounts (Before This Application)		Chloropicrin per Gallon :	None
13S 02E M :	97,420.32 Adjusted Pounds	Total 1,3-D (TP) :	2,570.20 Pounds
		Application Factor (AF) :	1.00
		Adjusted 1,3-D (ATP) :	2,570.20 Pounds

Restrictions: Avoid Drift -- Certified Applicator Required -- Closed Mixing System Required -- Notice of Intent Required -- Oral Notification Required -- Posting Required --
California Code of Regulations 6690-6692 go into effect starting January 2018. In summary these codes state pesticide use within a quarter mile of a school site or day care facility is prohibited between the hours of 6 AM to 6 PM on days when school is in session. For details or exceptions to this general summary please reference the code or speak to your County Ag Commissioner for clarification.

Species Toxic To:

Criteria Used For Determining Recommendation: Pest is Present

Advisor Comments: Non-Tarped.
There are no occupied structures or potable wells within 100 FT of application.
Jose Paredes QC90370 - EXP. 12/21 - 831-594-6076.
Map attached.

KS

THE MATERIAL AND CONTENT CONTAINED IN THE AGRIAN DATABASE AND ON THIS DOCUMENT ARE FOR INFORMATION ONLY AND NOT INTENDED TO BE A SUBSTITUTE FOR THE ACTUAL EPA AND/OR STATE APPROVED PRODUCT LABEL. USERS OF THIS DATABASE MUST READ AND FOLLOW THE APPROVED PRODUCT LABEL AFFIXED TO THE PRODUCT CONTAINER AND/OR APPLICABLE SUPPLEMENTAL LABELING BEFORE USE OF THE PRODUCT. RECIPIENT OF THIS DOCUMENT MUST HAVE THE PROPER KNOWLEDGE AND/OR LICENSING TO USE THIS DOCUMENT. USE SHALL BE DEEMED ACCEPTANCE OF, AND USE IS ONLY AUTHORIZED BY AGRIAN TO USERS WHO AGREE TO BE BOUND BY, THE TERMS OF USE PUBLISHED AT AGRIAN.COM.

I certify that the product recommendations in this document are consistent with my review of the product notices beginning on the following page and the product(s) label.

Signature : _____

Date : 2021-05-20

Rec No. 6664501

Drew Butler PCA Lic. #72975

© Copyright 2021, Agrian Inc. All Rights Reserved.

This document has warning(s) and/or manufacturer approved label notice(s) that were not printed. Notices and Warnings are available upon request.

California Closed Mixing Systems Requirement.**Rec No. 6664501**

The "Closed Mixing System Required" restriction is checked for one of the following reasons:

1. Product labeling criteria has caused the Closed Mixing System Requirement to automatically render.

To see the full text of Tier 1 and Tier 2 Closed System regulations in California please see California Code of Regulations (Title 3, Food and Agriculture) Division 6, Pesticides and Pest Control Operations, Chapter 3, Pest Control Operations, Subchapter 3 Pesticide Worker Safety, Article 2, General Safety Requirements, Section 6746, Closed Systems Amended 1/1/16. To obtain an interpretation for this or any regulation please contact your local County Ag Commissioner's Office.

The following products have triggered the automatic Closed Mixing System Requirement:

- Telone II

2. You have manually checked the "Closed Mixing System Required" box in the Restrictions Section found under the Final Details Tab in the REC form.

(Last updated 2016-04-22)

Shared With - Nutrien Watsonville CA 0646,Drew Butler



Non-potable Well and RV 100ft

Condor 3
27 ac

There are no occupied structures or potable wells within 100ft of application

100 ft Buffer

North County High School

Castroville Blvd

Castroville Blvd